

# **SAFETY DATA SHEETS**

# According to the UN GHS revision 8

Version: 1.0 Creation Date: July 15, 2019 Revision Date: July 15, 2019

# **SECTION 1: Identification**

1.1	GHS Product identifier		
	Product name	N,N-dimethyl-p-toluidine	
1.2	Other means of identification		
	Product number Other names	- N,N,4-trimethylaniline; Benzenamine, N,N,4-trimethyl-	
1.3	Recommended use of the chemical and restrictions on use		
	Identified uses Uses advised against	Industrial and scientific research use. no data available	
1.4	Supplier's details		
	Company Address Telephone	Hefei TNJ Chemical Industry Co.,Ltd. D 1508 Xincheng Center, Qianshan Road, Hefei City, Anhui Province, 230022, China +86-551-65418684	
1.5	Emergency phone number		
	Emergency phone number	+86-551-65418695	

# **SECTION 2: Hazard identification**

## 2.1 Classification of the substance or mixture

Acute toxicity - Category 3, Oral Acute toxicity - Category 3, Dermal Acute toxicity - Category 3, Inhalation Specific target organ toxicity – repeated exposure, Category 2 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

## 2.2 GHS label elements, including precautionary statements

+8 hours).

Pictogram(s)

Service hours



Signal word Hazard statement(s) Danger H301 Toxic if swallowed H311 Toxic in contact with skin H331 Toxic if inhaled H373 May cause damage to organs through prolonged or repeated exposure

Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT

	H412 Harmful to aquatic life with long lasting effects				
Precautionary statement(s)					
Prevention	P264 Wash thoroughly after handling.				
	P270 Do not eat, drink or smoke when using this product.				
	P280 Wear protective gloves/protective clothing/eye				
	protection/face protection/hearing protection/				
	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.				
	P271 Use only outdoors or in a well-ventilated area.				
	P260 Do not breathe dust/fume/gas/mist/vapours/spray.				
	P273 Avoid release to the environment.				
Response	P301+P316 IF SWALLOWED: Get emergency medical help				
	immediately.				
	P321 Specific treatment (see on this label).				
	P330 Rinse mouth.				
	P302+P352 IF ON SKIN: Wash with plenty of water/				
	P316 Get emergency medical help immediately.				
	P361+P364 Take off immediately all contaminated clothing and wash it before reuse				
	P304+P340 IF INHALED: Remove person to fresh air and				
	keen comfortable for breathing.				
	P319 Get medical help if you feel unwell.				
Storage	P405 Store locked up.				
	P403+P233 Store in a well-ventilated place. Keep container				
	tightly closed.				
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and				
	regulations, and product characteristics at time of disposal.				

## 2.3 Other hazards which do not result in classification

no data available

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
N,N-dimethyl-p- toluidine	N,N-dimethyl-p-toluidine	99-97-8	202-805-4	100%

# **SECTION 4: First-aid measures**

## 4.1 Description of necessary first-aid measures

#### If inhaled

Fresh air, rest. Refer for medical attention.

#### Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### **Following ingestion**

Rinse mouth. Give nothing to drink. Refer for medical attention .

### 4.2 Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Aromatic hydrocarbons and related compounds

## **SECTION 5: Fire-fighting measures**

## 5.1 Suitable extinguishing media

Wear self contained breathing apparatus for fire fighting if necessary.

## 5.2 Specific hazards arising from the chemical

Excerpt from ERG Guide 153 [Substances - Toxic and/or Corrosive (Combustible)]: Combustible material: may burn but does not ignite readily. When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. Runoff may pollute waterways. Substance may be transported in a molten form. (ERG, 2016)

## 5.3 Special protective actions for fire-fighters

Use powder, AFFF, foam, carbon dioxide.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: complete protective clothing including self-contained breathing apparatus. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

#### 6.2 Environmental precautions

Personal protection: complete protective clothing including self-contained breathing apparatus. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

#### 6.3 Methods and materials for containment and cleaning up

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

NO open flames. Above 83°C use a closed system and ventilation. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## 7.2 Conditions for safe storage, including any incompatibilities

Separated from oxidants and food and feedstuffs.Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure limit values**

no data available

#### **Biological limit values**

no data available

#### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

# **8.3** Individual protection measures, such as personal protective equipment (PPE)

#### **Eye/face protection**

Wear safety goggles or eye protection in combination with breathing protection.

#### **Skin protection**

Protective gloves. Protective clothing.

#### **Respiratory protection**

Use ventilation. Use local exhaust or breathing protection.

#### Thermal hazards

no data available

# **SECTION 9:** Physical and chemical properties and safety characteristics

Physical state	N,n-dimethyl-p-toluidine is a clear colorless liquid with an aromatic odor. Density $0.937 \text{ g} / \text{cm3}$ (Lancaster) and insoluble in water. Hence floats on water. Toxic by skin absorption and inhalation. May release toxic vapors when burned.
Colour	Clear colorless liquid
Odour	Aromatic
Melting point/freezing point	168°C(lit.)
Boiling point or initial boiling point and boiling	211°C(lit.)
range	
Flammability	Combustible.
Lower and upper	no data available
limit/flammability limit	
Flash point	90°C(lit.)
Auto-ignition	no data available
temperature	
Decomposition	no data available
temperature	
рН	no data available
Kinematic viscosity	no data available
Solubility	In water, 455 mg/L
Partition coefficient n-	$\log \text{Kow} = 2.81$
octanol/water	
Vapour pressure	0.178 mm Hg at 25 deg C

Density and/or relative0.937density0.937Relative vapour density >1 (vs air)Particle characteristicsno data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

On combustion, forms toxic and corrosive gases of nitrogen oxides. Reacts violently with strong oxidants. Attacks many plastics.

## **10.2** Chemical stability

Stable under recommended storage conditions.

#### **10.3** Possibility of hazardous reactions

N,N-DIMETHYL-P-TOLUIDINE neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. May generate hydrogen, a flammable gas, in combination with strong reducing agents such as hydrides.

## **10.4** Conditions to avoid

no data available

## **10.5** Incompatible materials

Incompatible materials acids, Acid chlorides, Acid anhydrides, Strong oxidizing agents

#### **10.6 Hazardous decomposition products**

When heated to decomposition ir emits toxic vapors of NOx

## **SECTION 11: Toxicological information**

#### Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

#### Skin corrosion/irritation

no data available

#### Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

The substance may cause effects on the red blood cells. This may result in the formation of methaemoglobin. The effects may be delayed.

#### **STOT-repeated exposure**

no data available

#### **Aspiration hazard**

No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

- Toxicity to fish: LC50; Species: Pimephales promelas (Fathead minnow); Conditions: flow through; Concentration: 48.9 mg/L for 96 hr (geometric mean of studies)
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

#### 12.2 **Persistence and degradability**

no data available

#### 123 **Bioaccumulative potential**

An estimated BCF of 33 was calculated in fish for dimethyl-4-toluidine(SRC), using a log Kow of 2.81(1) and a regression-derived equation(2). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is moderate(SRC).

#### 12.4 Mobility in soil

The Koc of dimethyl-4-toluidine is estimated as 260(SRC), using a log Kow of 2.81(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that dimethyl-4-toluidine is expected to have moderate mobility in soil. The pKa of dimethyl-4-toluidine is 5.63(4), indicating that this compound will exist partially in the cation form and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5). A Kd value of 380 for sorption to monmorillonite has been reported(6).

#### 125 Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

#### 13.1 **Disposal methods**

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

#### 14.1 **UN Number**

ADR/RID: UN2810 (For reference only, please check.) reference only, please

IMDG: UN2810 (For check.)

IATA: UN2810 (For reference only, please check.)

#### 14.2 **UN Proper Shipping Name**

ADR/RID: TOXIC LIQUID, IMDG: TOXIC LIQUID, IATA: TOXIC LIQUID,

ORGANIC, N.O.S. (For	ORGANIC, N.O.S. (For	ORGANIC, N.O.S. (For
reference only, please check.)	reference only, please check.)	reference only, please
•		check.)

#### 14.3 **Transport hazard class(es)**

ADR/RID: 6.1 (For reference	IMDG: 6.1 (For reference	IATA: 6.1 (For reference
only, please check.)	only, please check.)	only, please check.)

#### Packing group, if applicable 14.4

	ADR/RID: I (For reference only, please check.)	IMDG: I (For reference only, please check.)	IATA: I (For reference only, please check.)
,	<b>F</b> • • • • • •		

#### 14.5 **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

#### 14.6 Special precautions for user

no data available

#### 14.7 Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations specific for the product in 15.1 question

Chemical name	Common names and synonyms	CAS number	EC number
N,N-dimethyl-p- toluidine	N,N-dimethyl-p-toluidine	99-97-8	202-805-4
European Inventory of (EINECS)	Listed.		
EC Inventory	Listed.		
United States Toxic Sub	Listed.		
China Catalog of Hazar	Not Listed.		
New Zealand Inventory	Listed.		
Philippines Inventory of (PICCS)	Listed.		
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

# **SECTION 16: Other information**

#### Information on revision

Creation Date	July	15,	2019
Revision Date	July	15,	2019

#### Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
  TWA: Time Weighted Average
- STEL: Short term exposure limit ٠
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%

• EC50: Effective Concentration 50%

#### References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation,
- website: http://www.phmsa.dot.gov/hazmat/library/erg
  Germany GESTIS-database on hazard substance, website:
- http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

#### **Other Information**

Depending on the degree of exposure, periodic medical examination is suggested.Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available.Insufficient data are available on the effect of this substance on human health, therefore utmost care must be taken.

#### Any questions regarding this SDS, Please send your inquiry to info@tnjchem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.